

#282 p. 68

#283 p. 72

# Infiltration Research Planning Workshop

---

## Part I. State of the Art Reports

**INFILTRATION RESEARCH PLANNING WORKSHOP  
PART I. STATE OF THE ART REPORTS**

**October 18-20, 1977  
St. Louis, Missouri**

**Published by Agricultural Research (North Central Region)  
Science and Education Administration, U.S. Department of Agriculture  
2000 W. Pioneer Parkway  
Peoria, Ill. 61615**

---

## FOREWORD

The workshop objective was to review briefly the state of the art regarding knowledge of the infiltration mechanism and to begin development of a SEA research plan to expand that knowledge. Participants were asked to prepare short state-of-the-art papers relating to various aspects of infiltration. Part I presents these papers. Part II will present results of the planning task, which is still in progress at this time.

The papers present views of the individual authors and not necessarily those of the U.S. Department of Agriculture. Each paper is brief, but they provide a comprehensive overview of infiltration knowledge today and contain lists of references for readers interested in expanding their knowledge further. Copies are available from

C. R. Amerman  
USDA-SEA-AR-NCR  
Watershed Research Unit  
207 Business Loop East  
Columbia, MO 65201

#### AUTHOR AFFILIATIONS

- C. R. Amerman, research leader, USDA-SEA-AR, Watershed Research Unit, in cooperation with the Agricultural Experiment Station, University of Missouri, Columbia 65201
- D. L. Brakensiek, research leader, USDA-SEA-AR, Northwest Watershed Research Center, in cooperation with the Agricultural Experiment Station and Cooperative Extension Service of the University of Idaho, Boise 83705
- R. R. Bruce, soil scientist, USDA-SEA-AR, Southern Piedmont Conservation Research Laboratory, Watkinsville, Ga. 30677, in cooperation with the College Experiment Stations, The University of Georgia, Athens 30602
- D. L. Chery, Jr., research hydraulic engineer, USDA-SEA-AR, Southeast Watershed Research Program, in cooperation with the Agricultural Experiment Station, University of Georgia, Athens 30602
- R. M. Dixon, soil scientist, USDA-SEA-AR, Southwest Rangeland Watershed Research Center, in cooperation with the Agricultural Experiment Station, Tucson, Ariz. 85705
- W. R. Hamon, research leader, USDA-SEA-AR, North Appalachian Experimental Watershed, Coshocton, Ohio 43812, in cooperation with the Ohio Agricultural Research and Development Center, Wooster 44691
- J. R. Hoover, agricultural engineer, USDA-SEA-AR, Northeast Watershed Research Laboratory, in cooperation with the Agricultural Experiment Station and Cooperative Extension Service, Pennsylvania State University, University Park 16802
- A. Klute, research leader, USDA-SEA-AR, Irrigation and Soil/Plant/Water Relations Research, in cooperation with the Cooperative Extension Service of the Colorado State University, Fort Collins 80523
- D. R. Linden, soil scientist, USDA-SEA-AR, in cooperation with the Agricultural Experiment Station, University of Minnesota, St. Paul 55108
- R. F. Paetzold, research soil scientist, USDA-SEA-AR, National Soil Survey Laboratory, SCS, Lincoln, Nebr. 68508
- W. J. Rawls, hydrologist, USDA-SEA-AR, Hydrology Laboratory, Beltsville, Md. 20705
- C. W. Richardson, agricultural engineer, USDA-SEA-AR, Grassland Soil and Water Research Laboratory, Temple, Tex. 76501, in cooperation with the Agricultural Experiment Station, Texas A&M University System, College Station 77843
- M. J. M. Römkens, soil scientist, USDA-SEA-AR, Sedimentation Laboratory, in cooperation with the Mississippi Agricultural and Forestry Experiment Station, Oxford 38655
- K. E. Saxton, hydrologist, USDA-SEA-AR, in cooperation with the College of Agriculture Research Center, Washington State University, Pullman 99164
- M. L. Sharma, senior research scientist, CSIRO, Division of Land Resources Management, Wembley, W.A. 6015, Australia; a (1977) visiting soil scientist with USDA-SEA-AR, Southern Plains Watershed Research, Chickasha, Okla. 73018
- R. C. Sidle, soil scientist, USDA-SEA-AR, in cooperation with West Virginia Agricultural and Forestry Experiment Station, Morgantown 26506
- R. E. Smith, research hydraulic engineer, USDA-SEA-AR, Watershed Hydrology Laboratory, in cooperation with the CSU Experiment Station, Colorado State University, Fort Collins 80523
- A. W. Thomas, agricultural engineer, USDA-SEA-AR, Southern Piedmont Conservation Center, Watkinsville, Ga. 30677, in cooperation with College Experiment Stations, The University of Georgia, Athens 30602

CONTENTS

Empirical and simplified models of the infiltration process D. L. Brakensiek . . . . .	1
Hysteresis and redistribution of soil water during discontinuous infiltration events J. R. Hoover . . . . .	10
Two phase flow theory and its application to infiltration A. Klute . . . . .	15
Soil crusting--when crusts form and quantifying their effects M. J. M. Römkens . . . . .	36
Hydraulic properties from physical properties of porous media/soils R. E. Smith . . . . .	40
Measurement of soil physical properties R. F. Paetzold . . . . .	43
Infiltration measurements and soil hydraulic characteristics R. C. Sidle . . . . .	51
Infiltrometer using simulated rainfall for infiltration research W. R. Hamon . . . . .	54
Infiltration by hydrograph analysis C. W. Richardson . . . . .	61
Plant characteristic effects on infiltration K. E. Saxton . . . . .	63
Infiltration effects on soil surface conditions R. M. Dixon . . . . .	68
Infiltration effects of soil air pressure R. M. Dixon . . . . .	72
Physical changes in surface soil by tillage, crop culture, and rainfall in relation to infiltration description D. R. Linden . . . . .	75
Landscape form and order and subsoil characteristics in watershed infiltration description--selected aspects R. R. Bruce . . . . .	77
Representation of infiltration variables or parameters for watershed models with respect to deterministic spatial variability and scale D. L. Chery, Jr. . . . .	83
Temporal and spatial description of soil water on watersheds with variable vegetation and culture W. J. Rawls . . . . .	91
Multi-dimensional flow--its quantification on large and small scale A. W. Thomas . . . . .	93
Infiltration research in Australia M. L. Sharma . . . . .	98
Status of infiltration research and measurement in the United States--1977 C. R. Amerman . . . . .	102

## INFILTRATION EFFECTS OF SOIL SURFACE CONDITIONS

R. M. Dixon


Infiltration literature contains contrasting views on the physical mechanisms controlling water infiltration into soils (Swartzendruber and Hillel, 1973). Field experimentalists such as Duley and Kelly (1939), Horton (1940), Holtan (1961), and Dixon (1966) have argued that infiltration is controlled at the soil surface, whereas theorists (Philip, 1969; Bear, 1972) have maintained that infiltration is controlled by measurable hydraulic characteristics of the soil profile. Dixon (1977) has noted that these contrasting views are not contradictory but rather are complementary. Furthermore, the surface control concepts represent valuable extensions of classical Darcy-based infiltration theory. Physical properties of the soil surface can control the transmission characteristics of the soil profile, and soil profile conditions often manifest themselves at the soil surface. The view held by Childs (1969) that infiltration is a function of hydraulic conductivity and hydraulic gradient at the immediate soil surface also seems to reconcile the contrasting views about infiltration control.

The historical development of these contrasting views is understandable, since theorists have largely neglected the infiltration role of surface conditions through their simplifying assumptions. Laboratory soils used in testing this theory commonly possess unrealistic pore space geometries, unrealistic initial conditions, and unrealistic upper and lower boundary conditions. Although such experiments have, at times, verified theory, they have contributed less than might be expected to the understanding of natural infiltration processes because the laboratory soil column models field soils very poorly. Unfortunately, the physical significance of Darcy-based infiltration theory is limited to highly idealized laboratory soils wherein the "soil surface" is usually a stable, horizontal, biologically inert, microporous plane. Such a surface, if found in the field, would indicate serious mismanagement of the land. Such mismanagement often causes rapid deterioration (often irreversible) of soil and water resources.

Field experimentalists have observed water infiltrating into natural surfaces and have been impressed with the complexity of this unique and dynamic interface. The zone immediately surrounding the air-earth interface is the most active life zone, by far, in the biosphere, being unsurpassed both in kinds and numbers of plants and animals (Dixon, 1971). These organisms profoundly influence surface microroughness, surface macroporosity, soil surface aggregation, and the water stability of soil aggregates. Although clean tillage practices may leave a surface that approaches the laboratory "ideal," modern tillage practices leave surfaces that are rough, macroporous and often covered with plant residues which feed a wide diversity of soil organisms. The smooth microporous surface produced by clean tillage in croplands often infiltrates water only 1/10 as fast as the rough macroporous surface produced by modern minimum and no-tillage practices. Overgrazing and low or no grazing in pasture lands have effects on surface conditions and water infiltration analogous to that of cropland tillage. The same can be said for forest lands with no litter and abundant tree litter at the air-earth interface. The

rough open (or litter covered) interface will infiltrate most of a 1-hour, 50-year, maximum intensity storm; whereas the smooth closed (or bare) surface sheds most of the same storm (Dixon, 1977; Hershfield, 1961). This means that land management can have a profound effect on watershed hydrology.

The air-earth interface (AEI) concept (Dixon, 1977) describes the mechanisms through which soil surface conditions control the hydraulic characteristics of the soil profile (see block diagram below).



A: Mechanisms by which surface roughness and openness control surface water transmission into a soil and subsequent storage of this water within soil pores. B: Mechanism by which effective surface head controls infiltration.

The two interrelated and interacting soil properties--surface microroughness and macroporosity--are singled out as being principally responsible for infiltration control. According to the AEI concept, these two surface conditions control infiltration by regulating the flow of air and water in underlying macropore and micropore systems. They also control the effective surface head which is defined as the ponded water depth minus the soil air pressure head (Dixon, 1975).

Satisfactory methods for directly characterizing surface microroughness and surface macroporosity for the purpose of infiltration control are not yet available. Some progress has been made in characterizing the microroughnesses associated with various tillage practices (Burwell et al., 1963). The author has tried various visual approaches to characterizing surface macroporosity. Surface macroporosity can probably be measured indirectly as the air permeability of a soil surface wherein the micropore space is water-saturated. The interacting effects of surface microroughness and macroporosity

can probably be measured as effective surface head and as mass or percent cover of plant litter. Litter would also provide a measure of the stability, equilibrium level, and generation rates of these two surface conditions.

#### CRITICAL RESEARCH NEEDS

Methods need to be developed or refined, or both, for characterizing surface microroughness, surface macroporosity, plant litter, and effective surface head. Since these infiltration parameters are profoundly influenced by tillage and cropping practices, they should be spatiotemporally quantified for each major land management system. Such quantification will expedite the refinement of land management systems for better protection and more efficient use of soil and water resources in crop production. Natural relationships that need to be researched include:

1. Rainwater infiltration versus effective surface head, surface microroughness and macroporosity, and plant litter.
2. Plant litter versus effective surface head and surface microroughness and macroporosity.
3. Plant litter versus populations of small soil animals, fungi, actinomycetes, and bacteria.
4. Plant litter versus macropore geometry near the soil surface.
5. Plant litter versus soil structure water stability at the soil surface.
6. Stability of microroughness versus tillage implement and surface plant residue.
7. Development of populations of soil organisms, surface macroporosity, surface microroughness versus time elapsed after mulching a bare smooth microporous surface.
8. Hydrologic behavior of microwatersheds versus tillage implement used in creating the microwatershed and elapsed time. Aspects of hydrologic behavior should include infiltration, runoff, erosion and sedimentation; and wind velocity, relative humidity, soil temperature, and soil surface evaporation. The effects of vegetative growth in seedbeds on these hydrologic parameters should be studied as a function of elapsed time.
9. Hydrologic behavior of microwatersheds formed by land imprinting rollers versus those formed by other tillage implements (Dixon and Simanton, 1977).
10. Magnitude of parameters in Kostiakov's equation (Kostiakov, 1932) versus effective surface head, plant litter, surface microroughnesses, surface macroporosity, and elapsed time after imposing surface treatment.

#### CITED REFERENCES

- Bear, J. 1972. Dynamics of fluids in porous media. American Elsevier Publishing Company, Inc., New York, NY.



- Burwell, R. E., R. R. Allmaras, and M. Amemiya. 1963. A field measurement of total porosity and surface microrelief of soils. *Soil Sci. Soc. Amer. Proc.* 27:697-700.
- Childs, E. C. 1969. Surface infiltration. An Introduction to the physical basis of soil water phenomena. John Wiley and Sons, Ltd., New York, pp. 274-294.
- Dixon, R. M. 1966. Water infiltration responses to soil management practices. Ph.D. Thesis, Univ. of Wisconsin. Univ. Microfilms, Ann Arbor, Michigan (Diss. Abstr. 27:4).
- Dixon, R. M. 1971. Infiltration role of large soil pores: A channel system concept. Proceedings Third International Seminar for Hydrology Professors on Biological Effects in the Hydrological Cycle. IHD-NSF-UNESCO and Purdue University.
- Dixon, R. M. 1975. Design and use of closed-top infiltrometers. *Soil Sci. Soc. Amer. Proc.* 39:755-763.
- Dixon, R. M. 1977. Air-earth interface concept for wide-range control of infiltration. Annual Meeting of ASAE. Raleigh, N.C. Paper No. 70-2062.
- Dixon, R. M., and J. R. Simanton. 1977. A land imprinter for revegetation of barren land areas through infiltration control. *Proc. Amer. Water Resour. Assoc. and Arizona Acad. of Sci.*, Apr. 16-17, 1977, Las Vegas, Nev.
- Duley, F. L., and L. L. Kelly. 1939. Effect of soil type, slope and surface conditions on intake of water. *Nebraska Agric. Expt. Sta. Bull.* 112.
- Hershfield, D. M. 1961. Rainfall frequency atlas of the United States. Technical Paper No. 40. U.S. Weather Service, U.S. Dept. Commerce.
- Holtan, H. N. 1961. A concept for infiltration estimates in watershed engineering. U.S. Department of Agriculture, ARS, 41-51.
- Horton, R. E. 1940. An approach toward a physical interpretation of infiltration capacity. *Soil Sci. Soc. Amer. Proc.* 5:399-417.
- Kostiakov, A. N. 1932. On the dynamics of the coefficient of water percolation in soils and the necessity of studying it from the dynamic point of view for the purposes of amelioration. *Trans. 6th Comm. Intern. Soc. Soil Sci.*, Part A:17-21.
- Philip, J. R. 1969. Theory of infiltration. In *Advances in hydrosience*, Vol. 5, V. T. Chow (ed.). Academic Press, New York, NY, pp. 215-296.
- Swartzendruber, D., and D. Hillel. 1973. The physics of infiltration. In *physical aspects of soil water and salts in ecosystems*. A. Hadas, D. Swartzendruber, P. E. Ritjtema, M. Fuchs, and B. Yaran (Editors). Springer-Verlag, New York, N.Y.